MAY 3 0 2006 W

SUBSTITUTE FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT (Use several sheets if necessary)

Attorney Docket No.

00786/397003

Serial No.

10/661,426

Applicant

Jen Sheen et al.

Filing Date

September 12, 2003

Group

1638

(37 C.F.R. § 1.98(b))

IDS Filed

May 25, 2006

| | | | U.S. PATENT DOCUMENTS | | | | | | |
|------------------------|--|---------------------|--------------------------------|-------------|-------------------------|---------------------------------|--|--|--|
| Examiner's Initials | Document Number | Publication Date | Patentee or Applicant | Class | Subclass | Filing Date (If Appropriate) | | | |
| | | | | | | | | | |
| | FORI | EIGN PATENT (| OR PUBLISHED FOREIGN PATENT | APPLICATION | DN | | | | |
| Examiner's Initials | Document Number | Publication Date | Class | Subclass | Translation (Yes/No) | | | | |
| | | | | - | | | | | |
| | OTHER DOC | L UMENTS (INCL | UDING AUTHOR, TITLE, DATE, PLA | CE OF PUB | LICATION) | | | | |
| AK | Hamel et al., "Ancient Signals: Comparative Genomics of Plant MAPK and MAPKK Gene Families," <i>Trends in Plant Science</i> 11:192-198, 2006. | | | | | | | | |
| AK | Ichimura et al., "Mitogen-Activated Protein Kinase Cascades in Plants: A New Nomenclature," <i>Trends in Plant Science</i> 7:301-308, 2002. | | | | | | | | |
| AK | Tena et al., "Plant Mitogen-Activated Protein Kinase Signaling Cascades," Current Opinion in Plant Biology 4:392-400, 2001. | | | | | | | | |
| AK | Yamamizo et al., "Rewiring Mitogen-Activated Protein Kinase Cascade by Positive Feedback Confers Potato Blight Resistance," <i>Plant Physiology</i> 140:681-692, 2006. | | | | | | | | |
| | | | | | | | | | |
| | | 1 | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

Attorney Docket No. 00786/397003 SUBSTITUTE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE (MODIFIED) PATENT AND TRADEMARK OFFICE Serial No. 10/661,426 SHEEN et al. **Applicant** INFORMATION DISCLOSURE Filing Date September 12, 2003 STATEMENT BY APPLICANT (Use several sheets if necessary) 1638 Group **IDS Filed** May 17, 2006 (37 C.F.R. § 1.98(b)) Customer No. 21559 **U.S. PATENTS** Examiner's **Patent Number** Issue Date Class Patentee Subclass Filing Date Initials (If Appropriate) FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION Examiner's Document **Publication** Country or Class Subclass Translation Initials Number Date Patent Office (Yes/No) EPO 02/28/2001 EP 1078985 No AK **A2** OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION) Aderem et al., "Toll-like receptors in the induction of the innate Immune response," Nature 406:782-787 (2000). Asai et al., "Fumonisin B1-induced cell death in Arabidopsis protoplasts requires jasmonate-, ethylene-, and salicylate-dependent signaling pathways," Plant Cell 12:1823-1835 (2000). Asal et al., "MAP kinase signalling cascade in Arabidopsis innate immunity," Nature 415:977-983 (2002). Blume et al., "Receptor-mediated increase in cytoplasmic free calcium required for activation of pathogen defense in parsley," Plant Cell 12:1425-1440 (2000). Chiu et al., "Engineered GFP as a vital reporter in plants," Curr. Biol. 6:325-330 (1996). Du et al., "Identification of genes encoding receptor-like protein kinases as possible targets of pathogen- and salicylic acid induced WRKY DNA-binding proteins in Arabidopsis," Plant J. 24:837-847 (2000). Durrant et al., "cDNA-AFLP reveals a striking overlap in race-specific resistance and wound response gene expression profiles," Plant Cell 12:963-977 (2000). Eulgem et al., "The WRKY superfamily of plant transcription factors," Trends Plant Sci. 5:199-206 (2000). Eulgem et al., "Early nuclear events in plant defence signalling: rapid gene activation by WRKY transcription factors," EMBO J. 18:4689-4699 (1999). Felix et al., "Plants have a sensitive perception system for the most conserved domain of bacterial flagellin," Plant J. 18:265-276 (1999). Gomez-Gomez et al., "A single locus determines sensitivity to bacterial flagellin in Arabidopsis thaliana," Plant J. 18:277-284 (1999). Gomez-Gomez et al., "FLS2: an LRR receptor-like kinase involved in the perception of the bacterial elicitor flagellin in Arabidopsis," Mol. Cell 5:1003-1011 (2000). Hirt et al., "Receptor-Mediated MAP Kinase Activation in Plant Defense," (ed. Hirt, H.) 27:85-93 (Springer, AK Heidelberg, 2000). **EXAMINER** DATE CONSIDERED /Anne Kubelik/ 08/07/2006 EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

| | | | | , | | | heet 2_ of _: | |
|---|--|---------------------|--|----------------------|------------|---------------------|---------------------------------|--|
| (MODIFIED) | FORM PTO-1449 | TMENT OF COMMERCE | MERCE Attorney Docket No. | | 00786/39 | 7003 | | |
| (MODIFIED) PATENT AND TRADEMARK OFFIC | | | | Serial No. | | 10/661,426 | | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) | | | | Applicant | | SHEEN e | SHEEN et al. | |
| | | | | Filing Date | | September 12, 2003 | | |
| | | | | Group | | 1638 | 1638 | |
| (37 C.F.R. § 1.98(b)) | | | | IDS Filed | | May 17, 2006 | | |
| (37 C.F.R. § 1.98(D)) | | | | Customer No. | | 21559 | | |
| | | | U.S. PATENTS | | | <u> </u> | · | |
| Examiner's Patent Number Issue Date | | | Patentee | | Class | Subclass | Filing Date (If Appropriate) | |
| | | | | | | | | |
| | FORE | IGN PATENT (| OR PUBLISHED FOREIGN | PATENT AP | PLICATIO | N | | |
| Examiner's Initials | Document Number | Publication Date | Country or Patent Office | | Class | Subclass | Translation (Yes/No) | |
| | | | | | | | | |
| | OTHER DOCL | JMENTS (INCL | UDING AUTHOR, TITLE, D | DATE, PLACE | OF PUBI | LICATION) | | |
| AK | protein kinase kin | ases (MAPKKs | g and characterization of th) in <i>Arabidopsis thaliana</i> ," <i>L</i> | DNA Res. 5:3 | 41-348 (1 | 998). | | |
| 1 | Jouannic et al., "F | Plant MAP kinas | e kinase kinases structure | , classificatior | n and evol | ution," <i>Gene</i> | 233:1-11 (1999) | |
| | Kovtun et al., "Functional analysis of oxidative stress-activated mitogen-activated protein kinase cascade in plants," <i>Proc. Natl. Acad. Sci., USA</i> 97:2940-2945 (2000). Kovtun et al., "Suppression of auxin signal transduction by a MAPK cascade in higher plants," <i>Nature</i> 395:716-720 (1998). | | | | | | | |
| | | | | | | | | |
| - | Ligterink et al., "Receptor-mediated activation of a MAP kinase in pathogen defense of plants," Science 276:2054-2057 (1997). Khush et al., "Genes that fight infection: what the Drosophila genome says about animal immunity," Trends Genet. 16:442-449 (2000). Maleck et al., "The transcriptome of Arabidopsis thaliana during systemic acquired resistance," Nature Genet 26:403-410 (2000). | | | | | | Science | |
| | | | | | | | | |
| | | | | | | | Nature Genet. | |
| | Madhani et al., "The riddle of MAP kinase signaling specificity," <i>Trends Genet.</i> 14:151-155 (1998). Matsuoka et al., "Activation of AtMEK1, an <i>Arabidopsis</i> mitogen-activated protein kinase kinase, <i>in vitro</i> and <i>in vivo</i> : analysis of active mutants expressed in <i>E. coli</i> and generation of the active form in stress response in | | | | | | | |
| | | | | | | | | |
| | seedlings," Plant J. 29: 637-647 (2002). Mizoguchi et al., "Results and Problems in Cell Differentiation: MAP Kinases in Plant Signal Transduction," (ed Hirt, H.) Results Probl Cell Differ, "MAP Kinase Cascades in Arabidopsis: Their Roles in Stress and Hormone Responses" 27:29-38 (Springer, Heidelberg, 2000). Nimchuk et al., "Eukaryotic fatty acylation drives plasma membrane targeting and enhances function of several type III effector proteins from Pseudomonas syringae," Cell 101:353-363 (2000). Nühse et al., "Microbial elicitors induce activation and dual phosphorylation of the Arabidopsis thaliana MAPK (J. Biol. Chem. 275:7521-7526 (2000). | | | | | | | |
| | | | | | | | ction of several | |
| | | | | | | | | |
| | Nurnberger et al., "Signal transmission in the plant immune response," Trends Plant Sci. 6:372-379 (2001). | | | | | | | |
| \forall | Patharkar et al., "A stress-induced calcium-dependent protein kinase from <i>Mesembryanthemum crystellinum</i> phosphorylates a two-component pseudo-response regulator," <i>Plant J.</i> 24:679-691 (2000). | | | | | | | |
| | Peck et al, "Direct | ted proteomics | dentifies a plant-specific p | | | | onse to bacteria | |
| AK | and fungal elicitors," Plant Cell 13:1467-1475 EXAMINER /Anne Kubelik/ | | | ONSIDERED 08/07/2006 | | | | |
| AK EXAMINER | | | DATE CO | NSIDERED | 08/ | 07/2006 | | |

| SUBSTITUTE | FORM PTO-1449 | ORM PTO-1449 U.S. DEPARTMENT OF COMM | | | | | 00786/397003 | | |
|--|---|--------------------------------------|------------------|-------------------------------|--|--------------|--------------|---------------------------------|--|
| (MODIFIED) PATENT AND TRADEMARK OFFICE | | | | Serial No. | | 10/661,426 | | | |
| | | | | Applicant | | SHEEN et al. | | | |
| | INFORMATION DISCLOSURE STATEMENT BY APPLICANT | | | | Filing Date | | Septembe | September 12, 2003 | |
| | (Use several sheets if necessary) | | | | Group | | 1638 | | |
| (37 C.F.R. § 1 | .98(b)) | | | | IDS Filed | | May 17, 2006 | | |
| | | | | | Customer No. | | 21559 | | |
| | | | U.S. PA | TENTS | | _ | | | |
| Examiner's Initials | | | | Patentee | | Class | Subclass | Filing Date (If Appropriate) | |
| | | | | | | | | | |
| | FORE | EIGN PATENT (| OR PUBLISHED | FOREIGN | PATENT AF | PLICATIO | N | | |
| Examiner's Initials | Document Number | Publication Date | | Country or Class atent Office | | | Subclass | Translation (Yes/No) | |
| | | | | | | | | | |
| | OTHER DOC | JMENTS (INCL | UDING AUTHO | R, TITLE, C | OATE, PLAC | E OF PUBI | LICATION) | | |
| AK | Schenk et al., "Co Acad. Sci., U.S.A | . 97:11655-116 | 60 (2000). | | | - | | | |
| 1 | Sheen, "Mutational analysis of protein phosphatase 2C involved in abscisic acid signal transduction in higher plants," <i>Proc. Natl. Acad. Sci., USA</i> 95:975-980 (1998). | | | | | | | | |
| | Sheen et al., "Ca ^{2*} -dependent protein kinases and stress signal transduction in plants," <i>Science</i> 274:1900-1902 (1996). | | | | | | | | |
| | Swiderski et al., "The Arabidopsis PBS1 resistance gene encodes a member of a novel protein kinase subfamily," Plant J. 26:101-112 (2001). | | | | | | | | |
| | Tena et al., "Plant mitogen-activated protein kinase signaling cascades," Curr. Opin. Plant Biol. 4:392-400 (2001). | | | | | | | 4:392-400 | |
| | Xiang et al., "A mini binary vector series for plant transformation," Plant Mol. Biol. 40:711-717 (1999). | | | | | | | | |
| $\overline{}$ | Xing et al., "Active | ation of tomato | PR and wound-r | related general | es by a muta | genized to | mato MAP ki | nase kinase | |
| AK | through divergent pathways," Plant Mol. Biol. 46:109-120 (2001). Yang et al., "Activation of a mitogen-activated protein kinase pathway is involved in disease resistance in tobacco," Proc. Natl. Acad. Sci., U.S.A. 98:741-746 (2001). | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | - | | |
| | <u> </u> | | | | | | | | |
| | | | | | | | | | |
| | | | | | ., ., ., ., ., ., ., ., ., ., ., ., ., . | | | | |
| EXAMINER | /Anne Ku | ubelik/ | | DATE CO | NSIDERED | 08, | /07/2006 | | |
| | nitial citation consident | | through citation | if not in co | nformance a | nd not con | sidered. Ind | ude copy of this | |